

San Rafael cactus <i>Pediocactus despainii</i>							X										
Clay phacelia 09/28/78 <i>Phacelia argillacea</i>										?						X	
THREATENED	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C	
MAMMALS																	
Gray wolf (10j Experimental Population) <i>Canis lupus</i>			X	X									X				
Canada lynx 4/15/00 <i>Lynx canadensis</i>	X	X	X							X		X	X		?	?	
Grizzly bear 9/21/2009 <i>Ursus arctos horribilis</i>			X										X				
Utah prairie dog 6/04/73 <i>Cynomys parvidens</i>						X	X										
Northern Idaho ground squirrel 3/24/00 <i>Spermophilus brunneus</i>		X								X							
BIRDS																	
Mexican spotted owl 3/16/93 <i>Strix occidentalis lucida</i> (ED 4/15/93)						X	X		X								
REPTILES AND AMPHIBIANS																	
Desert tortoise 8/04/89 <i>Gopherus agassizii</i>						?									X		
FISH																	
Steelhead trout (Snake River summer) <i>Oncorhynchus mykiss</i>		X			X					X	X	X					
Chinook salmon, Snake River sprg/smr <i>Oncorhynchus tshawytscha</i> 4/22/92 (ED 5/22/92)		X			X					X	X	X					
Chinook salmon, Snake River fall <i>Oncorhynchus tshawytscha</i> 4/22/92 (ED 5/22/92)										X							
Greenback cutthroat trout <i>Oncorhynchus clarki stomiua</i>									X								
Railroad Valley springfish 3/31/86 <i>Crenichthys nevadae</i>															X		
Lahontan cutthroat trout 10/13/70 <i>Oncorhynchus clarki henshawi</i>								X							X		
Columbia River bull trout 6/10/98 <i>Salvelinus confluentus</i>		X			X			X		X	X	X					
Paiute cutthroat trout 3/11/67 <i>Oncorhynchus clarki seleniris</i>															X		

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

PLANTS																	
Deseret milkvetch 10/20/99 <i>Astragalus desereticus</i>										?						?	
Heliotrope milkvetch 11/6/87 <i>Astragalus limnocharis var. montii (A. montii)</i>										X							
Maguire daisy <i>Erigeron maguirei</i>								X									
Slick-spot peppergrass 10/08/09 <i>Lepidium papilliferum</i>		?															
Winkler cactus <i>Pediocactus winkleri</i>											?						
Maguire's primrose 8/21/85 <i>Primula cusickiana var. maguirei (P. maguirei)</i>																	X
Last chance townsendia 8/21/85 <i>Townsendia aprica</i>							X	X									
Ute ladies' tresses orchid 1/17/92 <i>Spiranthes diluvialis (2/18/92)</i>		?		?				?					?	X		X	?
PROPOSED	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C	
WILDLIFE & PLANTS																	

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
MAMMALS																
Bighorn Sheep <i>Ovis canadensis</i> - Includes Rocky Mountain bighorn sheep (<i>O. c. canadensis</i>), California bighorn sheep (<i>O. c. californiana</i>), and desert bighorn sheep (<i>O. c. nelsoni</i>) (7/29/2009)	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
Gray wolf <i>Canis lupus</i>		X		X	X					X	X	X	X			
Pygmy rabbit <i>Brachylagus idahoensis</i>				X	X	X	X	X			X	X	X	X		
Spotted bat <i>Euderma maculatum</i>	X	X	X	X	X	X	X	X	X	X	X	X	?	X	X	X
North American wolverine <i>Gulo gulo (luscus)</i>	X	X	X	X	X					X	X	X	X	X		X
Fisher <i>Martes pennanti</i>		X	X		X					X	X	X	?		X	
Southern Idaho Ground Squirrel <i>Spermophilus brunneus endemicus</i>		X								X						
Townsend's Western Big-Eared Bat <i>Corynorhinus</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
<i>townsendii townsendii</i>																
BIRDS																
Bald eagle <i>Haliaeetus leucocephalus</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Boreal owl <i>Aegolius funereus</i>	X	X	X	X	X					X	X	X	X			X
Greater sage-grouse <i>Centrocercus urophasianus</i>	X	X	X	X	X	?	X	X	X	?	X	X	X	X	X	X
Trumpeter swan <i>Cygnus buccinator</i>			X	X									X			
Peregrine falcon 3/20/84 <i>Falco peregrinus anatum</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Common loon <i>Gavia immer</i>		X	X		+					?	+	X	X			
Harlequin duck <i>Histrionicus histrionicus</i>			X	X	?+					X	?+		X			
Mountain quail <i>Oerortyx pictus</i>		X						X		X		X		X		
Mountain plover <i>Charadrius montanus</i>	X		X	X												
Flammulated owl <i>Otus flammeoulus</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
White-headed woodpecker <i>Picoides alborlarvatus</i>		X								X		X		X		
Three-toed woodpecker <i>Picoides tridactylus</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Great gray owl <i>Strix nebulosa</i>	X	X	X	X	X					X	X	X	X	X		X
California spotted owl <i>Strix occidentalis occidentalis</i>														X		
Columbian sharp-tailed grouse <i>Tympanuchus phasianellus columbianus</i>		X		X						X		X	X			X
Northern goshawk <i>Accipiter gentilis</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Yellow-billed cuckoo <i>Coccyzus americanus</i>	X	X	X		?	X	X	X	X	X	?	X	X	X	X	X
REPTILES AND AMPHIBIANS																
Columbia spotted frog	?	X	X	X	X			X	X	X	X	X	X	X	X	X

x=known species/habitat; ?=suspected/potential habitat; +=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
<i>Rana luteiventris</i>																
Boreal Toad <i>Bufo boreas</i>	X		X			X	X		X						X	X
Yosemite toad <i>Bufo canorus</i>														X		
Mountain Yellow-Legged Frog <i>Rana muscosa</i>														X		
FISH																
Wood River sculpin <i>Cottus leiopomus</i>												X				
Westslope cutthroat trout <i>Oncorhynchus clarki lewisi</i>		X			X					X	X	X				
Colorado River cutthroat trout <i>Oncorhynchus clarki pleuriticus</i>	X		X			X			X						X	X
Bonneville cutthroat trout <i>Oncorhynchus clarki utah</i>			X	X		X	X	X	X						X	X
Yellowstone cutthroat trout <i>Oncorhynchus clarki bouvieri</i>			X	X								X	X			
Northern Leatherside Chub <i>Lepidomeda copei</i>			X	X								X	X			X
Southern Leatherside Chub <i>Lepidomeda aliciae</i>						X	X		X						X	
Big Lost River Whitefish <i>Prosopium williamsoni</i>					X											
INSECTS																
Mt. Charleston Blue Butterfly <i>Icarcia shasta charlestonensis</i>														X		
Spring Mountain Checkerspot <i>Chlosyne acastus robusta</i>														X		
Dark Blue <i>Euphilotes ancilla purpura</i>														X		
Morand's Checkerspot <i>(Euphydryas anicia morandi)</i>														X		
PLANTS																
Pink agoseris <i>Agoseris lackschewitzii</i>			X								X		X			
Wonderland Alice flower <i>Aliciella (=Gilia) caespitosa</i>						X	X									

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Chatterley Onion <i>Allium geyeri</i> var. <i>chatterleyi</i>									X							
Swamp onion <i>Allium madidum</i>										X						
Tolmie's onion <i>Allium tolmiei</i> var. <i>persimile</i>		X								X						
Candystick <i>Allotopa virgata</i>										X						
Sweet-flowered rock jasmine <i>Androsace chamaejasme</i> ssp. <i>carinata</i>			X						X				X			
Charleston angelica <i>Angelica scabrida</i>														X		
Wheeler's angelica <i>Angelica wheeleri</i>															X	X
Meadow pussytoes <i>Antennaria arcuata</i>								X								
Charleston pussytoes <i>Antennaria soliceps</i>														X		
Link Trail columbine <i>Aquilegia flavescens</i> var. <i>rubicunda</i>									X							
Graham columbine <i>Aquilegia grahamii</i>	X															
Rosy King's sandwort <i>Arenaria kingii</i> ssp. <i>rosea</i>														X		
Petiolate wormwood <i>Artemisia campestris</i> ssp. <i>borealis</i> var. <i>petiolata</i>	X															
Eastwood milkweed <i>Asclepias eastwoodiana</i>														X		
Clokey milkvetch <i>Astragalus aequalis</i>														X		
Lost River milkvetch <i>Astragalus amnis-amissi</i>					X											
Goose Creek milkvetch <i>Astragalus anserinus</i>												?				
Lemhi milkvetch <i>Astragalus aquilonius</i>					X											
Bicknell milkvetch <i>Astragalus consobrinus</i>							X		?							

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Meadow milkvetch <i>Astragalus diversifolius</i> var. <i>diversifolius</i>			X		X								X			
Dana milkvetch <i>Astragalus henrimontanensis</i>						X										
Isely's milkvetch <i>Astragalus iselyi</i>									X							
Starvling milkvetch <i>Astragalus jejunus</i> var. <i>jejunus</i>			X	X												
Long Valley milkvetch <i>Astragalus johannis-howellii</i>														X		
Broad-pod freckled milkvetch <i>Astragalus lentiginosus</i> var. <i>latus</i>								X								
Navajo Lake milkvetch <i>Astragalus limnocharis</i> var. <i>limnocharis</i>						X										
Table Cliff milkvetch <i>Astragalus limnocharis</i> var. <i>tabulaeus</i>						X										
Lee Canyon milkvetch <i>Astragalus oophorus</i> var. <i>clokeyanus</i>														X		
Lavin's egg milkvetch <i>Astragalus oophorus</i> var. <i>lavinii</i>														X		
Payson's milkvetch <i>Astragalus paysonii</i>			X							X			?			
Spring Mountain milvetch <i>Astragalus remotus</i>														X		
Lamoille Canyon milkvetch <i>Astragalus robbinsii</i> var. <i>occidentalis</i>								X								
Toquima milkvetch <i>Astragalus toquimanus</i>														X		
Currant milkvetch <i>Astragalus uncialis</i>								X								
White Cloud milkvetch <i>Astragalus vexilliflexus</i> var. <i>nubilus</i>					X					X		X				
Guard milkvetch <i>Astragalus zionis</i> var. <i>vigulus</i>						X										
Bodie Hills rockcress Boechera (=Arabis) <i>bodiensis</i>														X		
Grouse Creek rockcress Boechera (=Arabis) <i>falcatoria</i>								X								

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Spring Mountains rockcress <i>Boechea (=Arabis) nevadensis</i>														X		
Washoe tall rockcress <i>Boechea (=Arabis) rectissima var. simulans</i>														X		
Galena Creek rockcress <i>Boechea (=Arabis) rigidissima var. demota</i>														X		
Ophir rockcress <i>Boechea (=Arabis) ophira</i>														X		
Tiehm rockcress <i>Boechea (=Arabis) tiehmii</i>														X		
Upswept moonwort <i>Botrychium ascendens</i>														X		
Dainty moonwort <i>Botrychium crenulatum</i>	X												X	X	X	
Slender moonwort <i>Botrychium lineare</i>	X							?		?		X		X	?	X
Paradox moonwort <i>Botrychium paradoxum</i>						X										
Little grape fern <i>Botrychium simplex</i>												X				
Moosewort <i>Botrychium tunux</i>														X		
Beautiful Bryum <i>Bryum calobryoides</i>		X														
Cascade reedgrass <i>Calamagrostis tweedyi</i>										X						
Cusick camas <i>Camassia cusickii</i>										X						
Seaside sedge <i>Carex incurviformis</i>			X		X											
Black and purple sedge <i>Carex luzulina var. atropurpurea</i>			X													
Tioga Pass sedge <i>Carex tiogana</i>														X		
Aquarius paintbrush <i>Castilleja aquariensis</i>						X										
Christ's Indian paintbrush <i>Castilleja christii</i>												X				

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Tushar paintbrush <i>Castilleja parvula</i> var. <i>parvula</i>						X	X									
Reveal paintbrush <i>Castilleja parvula</i> var. <i>revealii</i>						X										
Centennial rabbitbrush <i>Chrysothamnus parryi</i> ssp. <i>montanus</i>													X			
Flexible alpine collomia <i>Collomia debilis</i> var. <i>camporum</i>											X					
Wasatch fitweed <i>Corydalis caseana</i> spp. <i>brachycarpa</i>															X	X
Creutzfeldt-flower cryptanth <i>Cryptantha creutzfeldtii</i>									X							
Yellow-white catseye <i>Cryptantha ochroleuca</i>						X										
Bodie Hills draba <i>Cusickiella quadricosta</i>														X		
Pinnate spring-parsley <i>Cymopterus beckii</i>						X			X							
Davis' wavewing <i>Cymopterus davisii</i>												X				
Douglas' biscuitroot <i>Cymopterus douglasii</i>					X						X	X				
Goodrich biscuitroot <i>Cymopterus goodrichii</i>														X		
Cedar Breaks biscuitroot <i>Cymopterus minimus</i>						X										
Brownie lady'slipper <i>Cypripedium fasciculatum</i>	X															X
Lesser yellow Lady's slipper <i>Cypripedium parviflorum</i> (<i>Cypripedium calceolus</i> var. <i>parviflorum</i>)																X
Wyoming tansymustard <i>Descurainia torulosa</i>			X													
Wasatch shooting star <i>Dodecatheon utahense</i>																X
Idaho douglasia <i>Douglasia idahoensis</i>		X									?					
Abajo peak draba									X							

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
<i>Draba abajoensis</i>																
Arid draba <i>Draba arida</i>														X		
Star draba <i>Draba asterophora</i> var. <i>asterophora</i>														X		
Wasatch Draba <i>Draba brachystylis</i>														X	?	X
Burke's draba <i>Draba burkei</i>																X
Rockcress draba <i>Draba globosa</i> (=D. <i>densifolia</i> var. <i>apiculata</i>)	X		X		X										X	X
Jaeger draba <i>Draba jaegeri</i>														X		
Maguire draba <i>Draba maguirei</i>																X
Serpentine draba <i>Draba oreibata</i> var. <i>serpentina</i>								?						X		
Charleston draba <i>Draba paucifructa</i>														X		
Pennell draba <i>Draba pennellii</i>								X								
Mt. Belknap draba <i>Draba ramulosa</i>							X									
Santaquin draba <i>Draba santaquinensis</i>															X	
Creeping draba <i>Draba sobolifera</i>						X	X									
Stanley's whitlow-grass <i>Draba trichocarpa</i>					X							X				
Nevada willowherb <i>Epilobium nevadense</i>							X							X		
Spring Mountain goldenweed <i>Ericameria compacta</i> (=Haplopappus <i>compactus</i>)														X		
Pine Valley goldenweed <i>Ericameria crispa</i> (=Haplopappus <i>crispus</i>)						X										
Narrow-leaf goldenweed <i>Ericameria discoidea</i> var. <i>linearis</i>			X													

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
(= <i>Haplopappus macronema</i> var. <i>linearis</i>)																
Abajo daisy <i>Erigeron abajoensis</i>									X							
Carrington daisy <i>Erigeron carringtonae</i>									X							
Snake Mountain erigeron <i>Erigeron cavernensis</i>								X								
Cronquist daisy <i>Erigeron cronquistii</i>																X
Garrett's fleabane <i>Erigeron garrettii</i>															X	X
Kachina daisy <i>Erigeron kachinensis</i>									X							
Wolly daisy <i>Erigeron lanatus</i>			X													
LaSal daisy <i>Erigeron mancus</i>									X							
Untermann daisy <i>Erigeron untermannii</i>	X															
Widtsoe buckwheat <i>Eriogonum aretioides</i>						X										
Elsinore buckwheat <i>Eriogonum batemanii</i> var. <i>ostlundii</i>							X									
Desert buckwheat <i>Eriogonum brevicaule</i> var. <i>desertorum</i>												X				
Welsh buckwheat <i>Eriogonum capistratum</i> var. <i>welshii</i>					X											
Sunflower Flat buckwheat <i>Eriogonum douglasii</i> var. <i>elkoense</i>								X								
Toiyabe buckwheat <i>Eriogonum esmeraldense</i> var. <i>toiyabense</i>														X		
Clokey buckwheat <i>Eriogonum heermannii</i> var. <i>clokeyi</i>														X		
Lewis's buckwheat <i>Eriogonum lewisii</i>								X								
Logan buckwheat <i>Eriogonum loganum</i> (=E. <i>brevicaule</i> var. <i>loganum</i>)																X

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Guardian buckwheat <i>Eriogonum meledonum</i>					X							X				
Altered andesite buckwheat <i>Eriogonum robustum</i>														X		
Clokey greasebush <i>Glossopetalon clokeyi</i>														X		
Smooth dwarf greasebrush <i>Glossopetalon pungens</i> var. <i>glabra</i> (= <i>G.pungens</i>)														X		
Puzzling halimolobos <i>Halimolobos perplexa</i> var. <i>perplexa</i>										X						
Canyon sweetvetch <i>Hedysarum occidentale</i> var. <i>canone</i>								X								
Jones goldenaster <i>Heterotheca jonesii</i>						X										
Sierra Valley ivesia <i>Ivesia aperta</i> var. <i>aperta</i>														X		
Dog Valley ivesia <i>Ivesia aperta</i> var. <i>canina</i>														X		
Charleston ivesia <i>Ivesia cryptocaulis</i>														X		
Jaeger ivesia <i>Ivesia jaegeri</i>														X		
Plumas ivesia <i>Ivesia sericoleuca</i>														?		
Utah ivesia <i>Ivesia utahensis</i>															X	X
Webber ivesia <i>Ivesia webberi</i>														X		
Wasatch jamesia <i>Jamesia americana</i> var. <i>macrocalyx</i>															X	X
Zion jamesia <i>Jamesia americana</i> var. <i>zionis</i>						X										
Basin jamesia <i>Jamesia tetrapetala</i>								X								
Grimes lathyrus <i>Lathyrus grimesii</i>								X								
Wasatch peppercorn															?	X

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
<i>Lepidium montanum</i> var. <i>alpinum</i>																
Neeses' peppergrass <i>Lepidium montanum</i> var. <i>neeseae</i>						X										
Hazel's prickly phlox <i>Leptodactylon pungens</i> ssp. <i>hazeliae</i>										X						
Garrett bladderpod <i>Lesquerella garrettii</i>															X	X
Hitchcock bladderpod <i>Lesquerella hitchcockii</i> var. <i>hitchcockii</i>														X		
Payson bladderpod <i>Lesquerella paysonii</i>			X	X									X			
Maguire lewisia <i>Lewisia maguirei</i>								X								
Sacajawea's bitterroot <i>Lewisia sacajawea</i>		X								X	X	?				
Canyonlands lomatium <i>Lomatium latilobum</i>									X							
Three-ranked hump-moss <i>Meesia triquetra</i>														X		
Goodrich stickleaf <i>Mentzelia goodrichii</i>	X															
Bank monkeyflower <i>Mimulus clivicola</i>										X						
Fish Lake naiad <i>Najas caespitosa</i>							X									
Idaho pennycress <i>Noccaea idahoensis</i> var. <i>aieleniae</i> (= <i>Thlaspi aieleniae</i>)					X							X				
Shevock rockmoss <i>Orthotrichum shevockii</i>															X	
Spjut's brittle-moss <i>Orthotrichum spjutii</i>														X		
Challis crazyweed <i>Oxytropis besseyi</i> var. <i>salmonensis</i>					X											
Beaver Mountain groundsel <i>Packera</i> (= <i>Senecio</i>) <i>castoreus</i>							X									
Podunk groundsel <i>Packera</i> (= <i>Senecio</i>) <i>malmstenii</i>						X										

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Arctic poppy <i>Papaver radicum</i> var. <i>pygmaeum</i>	X															X
Naked-stemmed parrya <i>Parrya nudicaulis</i>			X													
Paria breadroot <i>Pediomelum pariense</i>						X										
Stemless beardtongue <i>Penstemon acaulis</i> var. <i>acaulis</i>	X															
Dune penstemon <i>Penstemon arenarius</i>														?		
Red Canyon beardtongue <i>Penstemon bracteatus</i>						X										
Cache beardtongue <i>Penstemon compactus</i>				X												X
Elegant penstemon <i>Penstemon concinnus</i>								?								
Idaho penstemon <i>Penstemon idahoensis</i>												X				
Charleston beardtongue <i>Penstemon leiophyllus</i> var. <i>keckii</i>														X		
Lemhi penstemon <i>Penstemon lemhiensis</i>											X					
Mt. Moriah penstemon <i>Penstemon moriahensis</i>								X								
Little penstemon <i>Penstemon parvus</i>						X	X									
Pinyon penstemon <i>Penstemon pinorum</i>						X										
Bashful penstemon <i>Penstemon pudicus</i>								X								
Rhizome beardtongue <i>Penstemon rhizomatosus</i>								X								
Wassuk beardtongue <i>Penstemon rubicundus</i>														X		
Jaeger beardtongue <i>Penstemon thompsoniae</i> ssp. <i>jaegeri</i>														X		
Ward beardtongue <i>Penstemon wardii</i>							X									

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
Inconspicuous phacelia <i>Phacelia inconspicua</i>								?								
Small-flower phacelia <i>Phacelia minutissima</i>		X						X				?				
Mono phacelia <i>Phacelia monoensis</i>														X		
Salmon twin bladderpod <i>Physaria didymocarpa</i> var. <i>lyrata</i>											X		X			
Creeping twinpod <i>Physaria intergrifolia</i> v. <i>monticola</i>			X													
Altered andesite popcorn flower <i>Plagiobothrys glomeratus</i>														X		
Marsh's bluegrass <i>Poa abbreviata</i> ssp. <i>marshii</i>					X			X			X	X		X		
White Mountain skypilot <i>Polemonium chartaceum</i>														X		
Williams combleaf <i>Polyctenium williamsii</i>														X		
Angell cinquefoil <i>Potentilla angelliae</i>						X										
Cottam cinquefoil <i>Potentilla cottamii</i>												X				X
Sagebrush cinquefoil <i>Potentilla johnstonii</i>								X								
Alkali primrose <i>Primula alcalina</i>													X			
Ruby Mountain primrose <i>Primula capillaris</i>								X								
Nevada primrose <i>Primula cusickiana</i> var. <i>nevadensis</i> (= <i>P. nevadensis</i>)								X								
Greenland primrose <i>Primula egaliksensis</i>			X													
Bugleg goldenweed <i>Pyrocoma</i> (= <i>Haplopappus</i>) <i>insecticruris</i>		X										X				
Radiate goldenweed <i>Pyrocoma radiata</i> (= <i>Haplopappus radiatus</i>)										X						
Bartons' blackberry										X						

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
<i>Rubus bartonianus</i>																
Arizona willow <i>Salix arizonica</i>						X	X		X							
Weber's saussurea <i>Saussurea weberi</i>			X													
Tobias' saxifrage <i>Saxifraga bryophora</i> var. <i>tobiasiae</i>										X						
Tolmie's saxifrage <i>Saxifraga tolmiei</i> var. <i>ledifolia</i>										X						
Musinea groundsel <i>Senecio musiniensis</i>									X							
Mono ragwort <i>Senecio pattersonensis</i>														X		
Clokey silene <i>Silene clokeyi</i>														X		
Nachlinger silene <i>Silene nachlingerae</i>								X								
Maguire campion <i>Silene petersonii</i>						X	?		X							
Railroad Valley globemallow <i>Sphaeralcea caespitosa</i> var. <i>williamsiae</i>								X								
Rock-tansy <i>Sphaeromeria capiata</i>						X										
Low sphaeromeria <i>Sphaeromeria compacta</i>														X		
Masonic Mountain jewelflower <i>Streptanthus oliganthus</i>														X		
Soft aster <i>Symphyotrichum molle</i> (=Aster mollis)			X													
Charleston kittentails <i>Synthyris ranunculina</i>														X		
Caespitose greenthread <i>Thelesperma caespitosum</i>	X															
Uinta green thread <i>Thelesperma pubescens</i>																X
Bicknell thelesperma <i>Thelesperma subnudum</i> var. <i>alpinum</i>						X	X									
Wavy-leaf thelypody					X											

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

SENSITIVE	ASH	BOI	B-T	CAR	CHA	DIX	FIS	HUM	M-L	PAY	SAL	SAW	TAR	TOI	UIN	W-C
<i>Thelypodium repandum</i>																
Alpine goldenweed <i>Tonestus (=Haplopappus) alpinus</i>														X		
Barneby woody aster <i>Tonestus (=Aster) kingii</i> var. <i>barnebyana</i>							X								X	
Sevier townsendia <i>Townsendia jonesii</i> var. <i>lutea</i>							X									
Charleston ground daisy <i>Townsendia jonesii</i> var. <i>tumulosa</i>														X		
Short-slyle tofieldia <i>Triantha occidentalis</i> ssp. <i>brevistyla</i>										X						
Currant Summit clover <i>Trifolium andinum</i> var. <i>podocephalum</i>								X								
Leiberg clover <i>Tifolium leibergii</i>								X								
Rollins clover <i>Trifolium macilentum</i> var. <i>rollinsii</i>														X		
Charleston violet <i>Viola charlestonensis</i>														X		
Smith violet <i>Viola franksmithii</i>																X
Lithion violet <i>Viola lithion</i>								X								
Idaho range lichen <i>Xanthoparmelia idahoensis</i>											X					

x=known species/habitat; ?=suspected/potential habitat; *=wild/naturally reproducing; +=migration; o=offsite; r= reintroduced populations; ED=Effective dates

ASH - Ashley
 BOI - Boise
 B-T - Bridger-Teton
 CAR - Caribou

CHA - Challis
 DIX - Dixie
 FIS - Fishlake
 HUM - Humboldt

M-L - Manti-LaSal
 PAY - Payette
 SAL - Salmon
 SAW - Sawtooth

TAR - Targhee
 TOI - Toiyabe
 UIN - Uinta
 W-C - Wasatch-Cache

KEY:

X = known distribution species and/or habitat
 ? = suspected or potential habitat
 * = wild and naturally reproducing stocks
 + = migration corridors only
 o = offsite impacts (e.g. downstream)
 r = reintroduced Central Idaho & Yellowstone populations, covered under ESA Section 10(j), and declared experimental non-essential populations, and thus are treated like "proposed" species
 ## = no longer meet "sensitive" criteria (personal communication with Forest botanists and Dr. Duane Atwood), but no official list revision yet
 Dates are dates the Final Rule was published in the *Federal Register*;
 ED = Effective dates are about 30 days later if not listed.

This list was compiled from the following sources:

R-4 Vertebrate Sensitive Species List (August 13, 1990)
R-4 Sensitive Plant List (April 29, 1994)
Endangered and Threatened Wildlife and Plants, USDA-U.S. Fish & Wildlife Service (August 20, 1994)
Northern Goshawk - Listed as a Sensitive Species in R4 (October 31, 1991)
Miscellaneous Federal Registers